

CW Fasteners Metric Sets/Bolts/Related Main Lines Stock List

** 14-Apr-08 **

Please Note:

This lists just our main stock lines – We have a wide range of other sizes, types and grades of fasteners if you don't find what you are looking for here.

Contents:

| | |
|--|----|
| Metric Fine Steel Set Screws..... | 2 |
| Metric Extra Fine Steel Set Screws..... | 3 |
| Metric Fine and Extra Fine Steel Allthread..... | 4 |
| Metric Coarse Steel Bolts (Grade 10.9)..... | 5 |
| Metric Coarse Steel Set Screws (Grade 10.9)..... | 5 |
| Metric Coarse Steel Bolts (Grade 8.8)..... | 6 |
| Metric Coarse Steel Sets (Grade 8.8)..... | 7 |
| Metric Coarse Stainless Hex Socket ("Allen") Screws..... | 8 |
| Metric Fine & Extra Fine Nuts..... | 9 |
| Metric Coarse Nuts..... | 10 |
| Metric Washers..... | 11 |
| Spanner and Key Sizes..... | 11 |

Help and Advice:

We keep a huge range of fasteners and we can often provide alternatives to very specialist and obsolete fasteners. Just ask and we will try to help!

Web Site:

This document is available for download from our web site:

<http://www.cwfasteners.co.uk>

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Page 1

Metric Fine Steel Set Screws

(Metric extra fine and metric coarse and stainless also available)

| Metric Fine Steel Set Screws Grade 10.9 Self-Colour (Unplated) DIN961 | | | | | | | | |
|--|----|----|----|----|----|----|----|----|
| Length | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 |
| M8 x 1.0 | | 0 | 0 | 0 | 0 | | | |
| M10 x 1.25 | | | 0 | 0 | 0 | 0 | 0 | |
| M12 x 1.5 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 x 1.5 | | | | | 0 | 0 | 0 | 0 |
| M16 x 1.5 | | | | | | | | |

| Metric Fine Steel Set Screws Grade 8.8 Self-Colour (Unplated) DIN961 | | | | | | | | |
|---|----|----|----|----|----|----|----|----|
| Length | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 |
| M8 x 1.0 | 0 | 0 | 0 | 0 | 0 | | | |
| M10 x 1.25 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| M12 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M16 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Metric Fine Steel Set Screws Grade 8.8 Bright Zinc Plated DIN961 | | | | | | | | |
|---|----|----|----|----|----|----|----|----|
| Length | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 |
| M8 x 1.0 | 0 | 0 | 0 | 0 | 0 | | | |
| M10 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| M12 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M16 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Extra Fine Steel Set Screws

(Metric fine and metric coarse and stainless also available)

| Metric Extra Fine Steel Set Screws Grade 8.8 Self-Colour (Unplated) DIN961 | | | | | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Length | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 | 70 | 80 |
| M10 x 1.00 | 0 | 0 | 0 | 0 | 0 | | | | | |
| M12 x 1.25 | | 0 | 0 | 0 | 0 | | 0 | | | |
| M18 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M20 x 1.5 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |

| Metric Extra Fine Steel Set Screws Grade 8.8 Bright Zinc Plated DIN961 | | | | | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Length | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 | 70 | 80 |
| M10 x 1.00 | 0 | 0 | 0 | 0 | 0 | | | | | |
| M12 x 1.25 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| M18 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M20 x 1.5 | | | | | 0 | | 0 | 0 | 0 | 0 |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Fine and Extra Fine Steel Allthread

(Metric coarse also available)

| Metric Fine and Metric Extra Fine Allthread (Threaded Rod/"Studding") Bright Zinc Plated, Length 1 metre Steel Grade 8.8 DIN975 | | | | |
|--|------------|-------------|------------|------------|
| Pitch | 1.0 | 1.25 | 1.5 | 2.0 |
| M8 | ○ | | | |
| M10 | ○ | ○ | | |
| M12 | | ○ | ○ | |
| M14 | | | ○ | |
| M16 | | | ○ | |
| M18 | | | ○ | |
| M20 | | | ○ | |
| M22 | | | ○ | |
| M24 | | | ○ | ○ |
| M27 | | | ○ | ○ |
| M30 | | | ○ | ○ |

| Metric Fine and Metric Extra Fine Allthread (Threaded Rod/"Studding") Bright Zinc Plated, Length 1 metre Mild Steel (Not High Tensile) DIN975 | | | | |
|--|------------|-------------|------------|------------|
| Pitch | 1.0 | 1.25 | 1.5 | 2.0 |
| M8 | ○ | | | |
| M10 | ○ | ○ | | |
| M12 | | ○ | ○ | |
| M14 | | | ○ | |
| M16 | | | ○ | |
| M18 | | | ○ | |
| M20 | | | ○ | |
| M22 | | | ○ | |
| M24 | | | ○ | ○ |
| M27 | | | ○ | ○ |
| M30 | | | ○ | ○ |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Coarse Steel Bolts (Grade 10.9)
(Metric fine and stainless and steel grade 8.8 also available)

| Metric Coarse Steel Bolts Grade 10.9 Self-Colour (Unplated) DIN931 | | | | | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|
| Length | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 120 | 130 | 140 |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| M10 x 1.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| M12 x 1.75 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| M14 x 2.0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| M16 x 2.0 | | | 0 | 0 | 0 | 0 | 0 | 0 | | |
| M20 x 2.5 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |

Metric Coarse Steel Set Screws (Grade 10.9)
(Metric fine and stainless and steel grade 8.8 also available)

| Metric Coarse Steel Set Screws Grade 10.9 Self-Colour (Unplated) DIN933 | | | | | | | | | | | | | | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| Length | 10 | 12 | 16 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 90 | 100 | 120 |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | | 0 | | 0 | | | |
| M10 x 1.5 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 | |
| M12 x 1.75 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | |
| M14 x 2.0 | | | | | | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | | 0 | 0 | 0 | |
| M16 x 2.0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 |
| M20 x 2.5 | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 | 0 |
| M24 x 3.0 | | | | | | | | 0 | | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Coarse Steel Bolts (Grade 8.8)
(Metric fine and stainless and steel grade 10.9 also available)

| Metric Coarse Steel Bolts Grade 8.8 Self-Colour (Unplated) DIN931 | | | | | | | | | | | | | | | | | | | | | | |
|---|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Length | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 90 | 100 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 260 |
| M6 x 1.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M10 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 x 1.75 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 x 2.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M16 x 2.0 | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M18 x 2.0 | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | |
| M20 x 2.5 | | | | | | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M22 x 2.5 | | | | | | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M24 x 3.0 | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Metric Coarse Steel Bolts Grade 8.8 Bright Zinc Plated DIN931 | | | | | | | | | | | | | | | | | | | | | | |
|---|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Length | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 90 | 100 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 260 |
| M6 x 1.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M10 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 x 1.75 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 x 2.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M16 x 2.0 | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M18 x 2.5 | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | |
| M20 x 2.5 | | | | | | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M22 x 2.5 | | | | | | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M24 x 3.0 | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Coarse Steel Sets (Grade 8.8)
(Metric fine and stainless and steel grade 10.9 also available)

| Metric Coarse Steel Sets Grade 8.8 Bright Zinc Plated DIN933 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|---|
| Length | 10 | 12 | 16 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | |
| M6 x 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M10 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 x 1.75 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 x 2.0 | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M16 x 2.0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M18 x 2.5 | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | |
| M20 x 2.5 | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M22 x 2.5 | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| M24 x 3.0 | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M27 x 3.0 | | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M30 x 3.5 | | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Coarse Stainless Hex Socket ("Allen") Screws
(Steel grade 10.9 also available)

| Metric Coarse Stainless Steel Hex Socket Cap Screws Grade A2 | | | | | | | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Length | 16 | 20 | 25 | 30 | 35 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
| M5 x 0.8 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M6 x 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| M10 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 x 1.75 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Metric Coarse Stainless Steel Hex Socket Countersunk Screws Grade A2 | | | | | | | | | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Length | 16 | 20 | 25 | 30 | 35 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
| M5 x 0.8 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M6 x 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| M10 x 1.5 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 x 1.75 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Metric Coarse Stainless Steel Hex Socket Button Screws Grade A2 | | | | | | | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Length | 16 | 20 | 25 | 30 | 35 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
| M5 x 0.8 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| M6 x 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| M8 x 1.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Fine & Extra Fine Nuts

(Metric Coarse also available)

| Metric Fine Nuts | | | | | | | |
|------------------|-------------------------------------|-------------------------------------|--------------------------------------|-------|------------------------|--|--|
| Size | Standard Full Nut Steel Grade 8 BZP | Standard Full Nut Steel Grade 8 S/C | Standard Full Nut Steel Grade 10 S/C | Nyloc | Half Nut Steel Grade 8 | | |
| M6 x 0.75 | 0 | 0 | 0 | 0 | 0 | | |
| M8 x 1.0 | 0 | 0 | 0 | 0 | 0 | | |
| M10 x 1.25 | 0 | 0 | 0 | 0 | 0 | | |
| M12 x 1.5 | 0 | 0 | 0 | 0 | 0 | | |
| M14 x 1.5 | 0 | 0 | 0 | 0 | 0 | | |
| M16 x 1.5 | 0 | 0 | 0 | 0 | 0 | | |
| M18 x 1.5 | 0 | 0 | 0 | 0 | 0 | | |
| M20 x 2.0 | 0 | 0 | 0 | 0 | 0 | | |
| M22 x 2.0 | 0 | 0 | 0 | 0 | 0 | | |
| M24 x 2.0 | 0 | 0 | 0 | 0 | 0 | | |
| M27 x 2.0 | 0 | 0 | 0 | 0 | 0 | | |
| M30 x 2.0 | 0 | 0 | 0 | 0 | 0 | | |

Note: "BZP" = Bright Zinc Plated; "S/C" = Self Colour (unplated)

| Metric Extra Fine Nuts | | | | | | | |
|------------------------|-------------------------------------|-------------------------------------|--------------------------------------|-------|------------------------|--|--|
| Size | Standard Full Nut Steel Grade 8 BZP | Standard Full Nut Steel Grade 8 S/C | Standard Full Nut Steel Grade 10 S/C | Nyloc | Half Nut Steel Grade 8 | | |
| M10 x 1.0 | 0 | 0 | 0 | 0 | 0 | | |
| M12 x 1.25 | 0 | 0 | 0 | 0 | 0 | | |
| M16 x 1.0 | 0 | 0 | | 0 | | | |
| M18 x 1.5 | 0 | 0 | 0 | 0 | 0 | | |
| M20 x 1.5 | 0 | 0 | 0 | 0 | 0 | | |

Note: "BZP" = Bright Zinc Plated; "S/C" = Self Colour (unplated)

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Coarse Nuts
(Metric Fine & Extra Fine also available)

| Metric Coarse Nuts | | | | | | | | | | |
|--------------------|-------------------------------------|-------------------------------------|--------------------------------------|-------|-----------------------|-----------------------|------------------------|--------------------------|---------------------------|----------------------|
| Size | Standard Full Nut Steel Grade 8 BZP | Standard Full Nut Steel Grade 8 S/C | Standard Full Nut Steel Grade 10 S/C | Nyloc | Shear Nut BZP or Galv | Stainless A2 Full Nut | Half Nut Steel Grade 8 | Flange Nut Steel Grade 8 | Collar Nut Steel Grade 10 | T-Nut Steel Grade 10 |
| M5 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | |
| M6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| M8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| M10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| M14 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | |
| M16 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| M18 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | |
| M20 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| M22 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | |
| M24 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| M27 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | |
| M30 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | |

Note: "BZP" = Bright Zinc Plated; "S/C" = Self Colour (unplated)

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk

Metric Washers
(Various forms available)

| Metric Washers | | | | | | | |
|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|-----------------------|-------------------------|---|
| Size | Flat Steel S/C | Flat Steel BZP | Spring Steel S/C | Spring Steel BZP | Flat Stainless | Spring Stainless | Penny (Repair) Various Diameters |
| M5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| M30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note: "BZP" = Bright Zinc Plated; "S/C" = Self Colour (unplated)

Spanner and Key Sizes

| Spanner & Hex Key Sizes for Sets/Bolts and Socket Caps | | |
|---|---------------------|---------------------|
| Size | Spanner Size | Hex Key Size |
| M8 | 13mm | 6mm |
| M10 | 17mm | 8mm |
| M12 | 19mm | 10mm |
| M14 | 22mm | 12mm |
| M16 | 24mm | 14mm |
| M18 | 27mm | 14mm |
| M20 | 30mm | 17mm |
| M24 | 36mm | 19mm |

We have a full range of spanners, sockets, keys, wrenches, and drivers always in stock!

CW Fasteners Limited

Unit 60, Sandy Way, Amington Industrial Estate, Tamworth, Staffordshire, B77 4DS, UK

Telephone: +44 (0) 1827 54448 Fax: +44 (0) 1827 61552

www.cwfasteners.co.uk

sales@cwfasteners.co.uk